

INDEX TO VOLUME XXXVIII

AUTHORS

		Page
Anderson, R. A., C. Vojnovich, and E. L. Griffin, Jr. Wet-milling high-amyllose corn containing 66- to 68-percent-amyllose starch	84	proteins of flour 256
—, —, and —. A note on the effect of steeping time on wet-milling high-amyllose corn containing 57-percent-amyllose starch	94	Collins, N. D. (see R. Katz) 364
Baker, Doris. A colorimetric method for determining fat acidity in grain	47	Conde, R. (see R. Bressani) 76
Barmore, M. A. (see H. R. Elling)	349	Conn, J. F. (see A. R. Handleman) 294
Black, H. C., M. H. Fisher, and G. N. Irvine. Laboratory milling. I. A small-scale bran finisher	97	Craine, E. M., Diane V. Freimuth, Joyce A. Boundy, and R. J. Dimler. Preparation of purified zein by adsorption-desorption 399
Borsos, A. C. (see L. P. Karacsonyi)	14	Croes, A. W. Measurement of flour whiteness 8
Boundy, Joyce A. (see E. M. Craine)	399	
Bradley, J. W. (see G. N. Irvine)	153	Dahle, L. (see Betty Sullivan) 272, 281, 463
Bressani, R., and R. Conde. Changes in the chemical composition and in the distribution of nitrogen of maize at different stages of development	76	Deobald, H. J. (see J. T. Hogan) 291
Bushuk, W. Accessible sulphydryl groups in dough	438	Desikachar, H. S. R., and V. Subrahmanyam. The formation of cracks in rice during wetting and its effect on the cooking characteristics of the cereal 356
—, and I. Hlynka. The bromate reaction in dough. III. Effect of continuous mixing and flour particle size	178	(see A. N. Srirangarajan) 391
—, and —. The bromate reaction in dough. IV. Effect of reducing agents	309	Dimler, R. J. (see E. M. Craine) 399
—, and —. The bromate reaction in dough. V. Effect of flour components and some related compounds	316	(see J. S. Wall) 407
Cardwell, A. B. (see R. Katz) 364		Doane, W. M. (see R. L. Whistler) 251
Charley, Helen (see J. E. Cluskey) 325		Duvick, D. N. Protein granules of maize endosperm cells 374
Chung, D. S. (see L.-t. Fan) 540		
Cluskey, J. E., N. W. Taylor, Helen Charley, and F. R. Senti. Electrophoretic composition and intrinsic viscosity of glutens from different varieties of wheat	325	Elling, H. R., and M. A. Barmore. Microtests for flour quality 349
Coates, J. H., and D. H. Simmonds. Proteins of wheat and flour. Extraction, fractionation, and chromatography of the buffer-soluble		Enari, T.-M. (see Matti Linko) 60
		Fan, L.-t., D. S. Chung, and J. A. Shellenberger. Diffusion coefficients of water in wheat kernels 540
		Fisher, M. H. (see H. C. Black) 97
		Fleischman, A. L. (see G. J. Haas) 198
		Fleming, J. R., B. S. Miller, and J. A. Johnson. A method for the determination of relative amounts of malted wheat, fungal (<i>Aspergillus oryzae</i>), and bacterial (<i>Bacillus subtilis</i>) alpha-amylase in mixtures and its application to malted wheat 479
		—, J. A. Johnson, and B. S. Miller. The control of fungi during the malting of wheat 170
		Fles, Melita (see Elizabeth M. Osman) 449
		Fong, W. S (see R. R. Irani) 67
		Fosdick, L. S. (see F. E. Kohn) 165
		Freimuth, Diane V. (see E. M. Craine) 399

- Geddes, W. F. (see K. A. Gilles) 229
 Gilles, K. A., W. F. Geddes, and F. Smith. The carbohydrates of the Gramineae. XI. The constitution of the water-soluble polysaccharides derived from bread crumb 229
 Griffin, E. L., Jr. (see R. A. Anderson) 84, 94
 Grosskreutz, J. C. A lipoprotein model of wheat gluten structure 336
- Haas, G. J., and A. I. Fleischman. A note on a rapid method for the determination of lipids in brewing adjunct cereals 198
- Hagberg, S. Note on a simplified rapid method for determining alpha-amylase activity 202
- Modified Wohlgemuth methods for alpha-amylase activity of wheat and rye 241
- Handleman, A. R., J. F. Conn, and J. W. Lyons. Bubble mechanics in thick foams and their effects on cake quality 294
- Hlynka, I. (see W. Bushuk) 178, 309, 316
 —— (see R. Tkachuk) 393
 —— F. D. Kuzina, and W. C. Shuey. Conversion of constant-flour farinograph absorption to constant-dough basis 386
- Hodge, J. E., and E. C. Nelson. Preparation and properties of galactosylisomaltol and isomaltol 207
- , and Helen A. Moser. Flavor of bread and pastry upon addition of maltol, isomaltol, and galactosylisomaltol 221
- Hogan, J. T. (see A. S. Roseman) 423
 ——, and A. S. Roseman. Gas plasma irradiation of rice. II. Effect of heat on hydration and cooking characteristics 432
 ——, and H. J. Deobald. Note on a method of determining the degree of milling of whole milled rice 291
- Indiramma, K. (see A. N. Sriranganagarajan) 391
- Irani, R. R., and W. S. Fong. Measurements of the particle size distribution of flour 67
- Irvine, G. N., J. W. Bradley, and G. C. Martin. A farinograph technique for macaroni doughs 153
 —— (see H. C. Black) 97
- Jaska, E. J. Effect of bleaching on flour as measured by structural relaxation of dough 369
- Jennings, A. C. The determination of the nitrogen content of cereal grain by colorimetric methods 467
- Johnson, J. A. (see J. R. Fleming) 170, 479
- Jongh, G. The formation of dough and bread structures. I. The ability of starch to form structures, and the improving effect of glyceryl monostearate 140
- Kalbfleisch, W. (see H. Miller) 204
- Karacsenyi, L. F., and Borsos, A. C. An apparatus for measuring the torsional strength of macaroni 14
- Katz, R., N. D. Collins, and A. B. Cardwell. Hardness and moisture content of wheat kernels 364
- Kemp, J. G., A. G. O. Whiteside, D. C. MacDonald, and H. Miller. Ottawa micro flour mill 50
- Kohn, F. E., L. Wiseblatt, and L. S. Fosdick. Some volatile carbonyl compounds arising during panary fermentation 165
- Krynaud, G. N. (see J. B. Louw) 1
- Kuzina, F. D. (see I. Hlynka) 386
- Larson, E. (see Betty Sullivan) 272
- Leach, H. W., and T. J. Schoch. Structure of the starch granule. II. Action of various amylases on granular starches 34
- Lee, C. C., and R. Tkachuk. A note on self-diffusion in dough containing Br³⁵-labeled bromate 194
- Leith, Sandra J. (see Elizabeth M. Osman) 449
- Linko, Matti, P. Linko, and T.-M. Enari. 2(3)-Benzoxazolone in malting of barley 60
- Linko, P. Zone electrophoresis pattern of free amino acids as an index of storage condition of wheat 187
 —— (see Matti Linko) 60
- Louw, J. B., and G. N. Krynaud. The relationship between farinograph mobility and absorption 1
- Lyons, J. W. (see A. R. Handleman) 294
- MacDonald, D. C. (see J. G. Kemp) 50
- Majumder, S. K. (see K. S. Srinivasan) 529
- Martin, G. C. (see G. N. Irvine) 153
- Miller, B. S. (see J. R. Fleming) 170, 479
 ——, J. A. Johnson, and R. J. Robinson. Identification of carbonyl compounds produced in

- pre-ferments 507
Miller, H., A. G. O. Whiteside, and W. Kalbfleisch. A note on the construction of a small-scale dough expansion apparatus for the estimation of wheat quality 204
 — (see J. G. Kemp) 50
Moser, Helen A. (see J. E. Hodge) 221
Nelson, E. C. (see J. E. Hodge) 207
Nelson, O. R. (see Betty Sullivan) 281
Osman, Elizabeth M., Sandra J. Leith, and Melita Fles. Complexes of amylose with surfactants 449
Peterson, D. A. (see Betty Sullivan) 463
Pinckney, A. J. The biuret test as applied to the estimation of wheat protein 501
Pomeranz, Y., and J. A. Shellenberger. Histochemical characterization of wheat and wheat products. I. Histochemical demonstration of germ and aleurone using Acridine Orange 103
 — and — Histochemical characterization of wheat and wheat products. II. Mapping of protein distribution in the wheat kernel 109
 — and — Histochemical characterization of wheat and wheat products. III. Use of methyl green in estimating flour extraction rate 113
 — and — Histochemical characterization of wheat and wheat products. IV. Mapping the free fatty acids in germinating wheat 122
 — and — Histochemical characterization of wheat and wheat products. V. Sulfhydryl groups: their localization in the wheat kernel 133
Ponte, J. G., Jr., and Jocelyn Rosen. Communication to the Editor. Obtaining damaged starch mathematically rather than graphically by the Sandstedt and Mattner procedure 306
Robinson, R. J. (see B. S. Miller) 507
Roseman, A. S., J. T. Hogan, R. B. Stone, and J. C. Webb. Gas plasma irradiation of rice. I. Hydration characteristics 423
 — (see J. T. Hogan) 432
Rosen, Jocelyn (see J. G. Ponte, Jr.) 306
Sabry, Z. I., and R. I. Tannous. Effect of parboiling on the thiamine, riboflavin, and niacin contents of wheat 536
Sanders, E. H. (see S. A. Watson) 22
Sankaran, A. N. (see A. N. Srirangarajan) 391
Schoch, T. J. (see H. W. Leach) 34
Senti, F. R. (see J. E. Cluskey) 325
Shellnberger, J. A. (see L.-t. Fan) 540
 — (see Y. Pomeranz) 103, 109, 113, 122, 133
Shuey, W. C. (see I. Hlynka) 386
Simmonds, D. H. (see J. H. Coates) 256
Smith, F. (see K. A. Gilles) 229
Soilars, W. F. Chloride content of cake flours and flour fractions 487
Srinivasan, K. S., and S. K. Majumder. Effect of some volatile chemicals on the microbial spoilage of moist kafir corn (*Andropogon sorghum*) under airtight storage 529
Srirangarajan, A. N., H. S. R. Desikachar, K. Indiramma, and A. N. Sankaran. Note on variations in residual bran in individual rice grains from batches polished to different degrees 391
Stone, R. B. (see A. S. Roseman) 423
Subrahmanyam, V. (see H. S. R. Desikachar) 356
Sullivan, Betty, L. Dahle, and E. Larson. The oxidation of wheat flour. I. Measurement of sulfhydryl groups 272
 — and O. R. Nelson. The oxidation of wheat flour. II. Effect of sulfhydryl-blocking agents 281
 — and D. A. Peterson. The oxidation of wheat flour. III. The isolation of thiocetic acid 463
Swango, L. C. (see J. S. Wall) 407
Tannous, R. I. (see Z. I. Sabry) 536
Tarleton, R. J., William Findlay Geddes (1) iii
Taylor, N. W. (see J. E. Cluskey) 325
Tessari, D. (see J. S. Wall) 407
Tkachuk, R., and I. Hlynka. Some improving effects of halogenates and their reduction intermediates in dough 393
 — (see C. C. Lee) 194
Tschoegl, N. W. Chloroethanol as a cereal protein dispersant 516
Vojnovich, C. (see R. A. Anderson) 84, 94
Wall, J. S., L. C. Swango, D. Tessari, and R. J. Dimler. Organic

- | | | | |
|--|-----|---|-----|
| acids of barley grain | 407 | fractions of high-amylose corn starches | 251 |
| Watson, S. A., and E. H. Sanders. | | Whiteside, A. G. O. (see J. G. Kemp) | 50 |
| Steeping studies with corn endo-sperm sections | 22 | _____(see H. Miller) | 204 |
| Webb, J. C. (see A. S. Roseman) | 423 | Wiseblatt, L. (see F. E. Kohn) | 165 |
| Whistler, R. L., and W. M. Doane. | | | |
| Characterization of intermediary | | | |



SUBJECTS

	Page		Page
Absorption (see also Water absorption)		astase, pancreatin; effect on granular starches (Leach and Schoch)	34
Effect on farinograms of semolina (Irvine, Bradley, and Martin)	153	Amylase, alpha- (see also Amylase activity)	
vs. Farinograph mobility (Louw and Krynauw)	1	Bacterial (<i>B. subtilis</i>), fungal (<i>Aspergillus oryzae</i>), and malted-wheat; method of determining relative amounts (Fleming, Miller, and Johnson)	479
Absorption, farinograph; by constant-flour method, converted to constant-dough basis (Hlynka, Kuzina, and Shuey)	386	Amylase, alpha- and beta-	
Acid(s)		Effect on malt quality and yield in barley (Linko, Linko, and Enari)	60
Amino, see Amino acids		Amylase activity, alpha-	
Fatty, see Fatty acids		Bacterial, fungal, and malted wheat-, see under Amylase, alpha-	
Organic, of barley grain, identity and amounts (Wall, Swango, Tessari, and Dimler)	407	Effect on granular starches (Leach and Schoch)	34
Thioctic, in wheat flour; isolation (Sullivan, Dahle, and Peterson)	463	In flour, method for determining (Hagberg)	202
Acidity, fat, see Fat acidity		Method for determining, modified Wohlgemuth (Hagberg)	241
Acridine orange dye, for histochemical study of wheat germ and aleurone (Pomeranz and Shellenberger)	103	Amylose, see Starch, Amylose	
Adsorption - desorption procedure, for zein preparation (Craine, Freimuth, Boundy, and Dimler)	399	Amylose, Corn, see Corn starch	
Air-classification of flour, see Flour, Particle size of		Apparatus	
Amino acids (see also individual amino acids)		Bran finisher, small-scale (Black, Fisher, and Irvine)	97
In buffer-soluble proteins of wheat and flour (Coates and Simmonds)	256	Dough-expansion-, small-scale, for estimation of wheat quality (Miller, Whiteside, and Kalbfleisch)	204
In corn kernel during development (Bressani and Conde)	76	Freezing microtome, for histochemical study to map protein distribution in wheat kernel (Pomeranz and Shellenberger)	109
Free, of wheat; electrophoresis pattern as index of storage condition (Linko)	187	For gas-plasma irradiation of rice (Roseman, Hogan, Stone, and Webb)	423
Amylase(s)		Hunter Color Grader and Kent Jones & Martin Flour Color Grader (Croes)	8
Bacterial alpha-, beta-, fungal alpha-, glucamylase, malt di-		For organic acid elution from	

barley (Wall, Swango, Tessari, and Dimler)	407	(Pinckney)	501
Omnimixer, for lipid extraction (Haas and Fleischman)	198	Bleaching of flour (see also Bleaching agents)	
Ottawa micro flour mill (Kemp, Whiteside, MacDonald, and Miller)	50	Cake, and fractions; chloride content (Sollars)	487
Paley bottle, for flour quality microtests (Grosskreutz)	349	For color measurement (Croes)	8
Torsionmeter, for macaroni strength (Karacsenyi and Borsos)	14	Effect as measured by structural relaxation of dough (Jaska)	369
Aroma, see Flavor of bread		Bleaching agents (see also Bleaching of flour)	
Bacteria		Benzoyl peroxide and chlorine dioxide; effect on flour as measured by structural relaxation of dough (Jaska)	369
In corn (kafir), stored; treatment with volatile chemicals (Srinivasan and Majumder)	529	BOA, see 2(3)-Benzoxazolone	
In dough; effects on formation of carbonyl compounds (Kohn, Wiseblatt, and Fosdick)	165	Bran	
Baked products; flavor of, with maltol and related compounds (Hodge and Moser)	221	Amount in flour, determined by adsorption of methyl green (Pomeranz and Shellenberger)	113
Baking tests		Finisher, small-scale (Black, Fisher, and Irvine)	97
Cake; effect of (batter) bubble mechanics on quality of (Handelman, Conn, and Lyons)	294	From rice, residual; variation with degree of polishing (Srirangarajan, Desikachar, Indramma, and Sankaran)	391
For effect of -SH-blocking agents (NEMI, PCMB) (Sullivan, Dahle, and Nelson)	281	Bread (see also following Bread entries)	
For improving effects of halogenates in dough (Tkachuk and Hlynka)	393	Carbonyl compounds in, formed during fermentation (Kohn, Wiseblatt, and Fosdick)	165
Pie crust and yeast rolls (Hodge and Moser)	221	Flavor of, see Flavor of bread	
Barley		From starch; structure-forming ability of starch and effect of emulsifier (Jongh)	140
With colored grains; nitrogen content, determined by colorimetry (Jennings)	467	Bread crumb (see also Crumb)	
Malt yield of, increased by BOA (Linko, Linko, and Enari)	60	Polysaccharides (water-soluble) from; constitution (Gilles, Geddes, and Smith)	229
Nitrogen in, determination by colorimetry (Jennings)	467	Bread improvers (see also Bromate; Bromate and iodate; Flour improvers)	
Organic acids of; whole grain and fractions (Wall, Swango, Tessari, and Dimler)	407	Glyceryl monostearate (Jongh)	140
Batters; bubble mechanics in; effect on cake quality (Handelman, Conn, and Lyons)	294	Bread staling; rate of, study with "soluble starch" (Gilles, Geddes, and Smith)	229
Bending strength (macaroni), see Torsional strength		Breadmaking; Pre-ferments, see under Fermentation	
2(3)-Benzoxazolone (BOA); in malting of barley, to increase malt yield (Linko, Linko, and Enari)	60	Brewing adjunct cereals; lipids in, rapid method for determining (Haas and Fleischman)	198
Biuret method (modified)		Bromate, potassium	
For determining nitrogen content of barley and wheat (Jennings)	467	Br ³⁵ -labeled, in dough; note on self-diffusion in (Lee and Tkachuk)	194
For estimation of wheat protein		Reaction of in dough	
		effect of continuous mixing and flour particle size (Bushuk and Hlynka)	178
		effect of granular starch, gluten, pentosans, lipids; and of cumene hydroperoxide,	

- n-propyl gallate, and butylated hydroxyanisole (Bushuk and Hlynka) 316
 effect of reducing agents (Bushuk and Hlynka) 309
- Bromate and iodate**
 Improving effects in dough, compared with halogenates and their reduction intermediates (Bushuk and Hlynka) 393
 Response of, in doughs with increasing PCMB (Sullivan, Dahle, and Nelson) 281
- Browning reaction**, forming isomaltol and maltol in bread (Hodge and Nelson) 207
- Bubble mechanics**, in cake batters; effect on quality (Handleman, Conn, and Lyons) 294
- Bulgur**, vitamins in (B-complex); effect of parboiling on (Sabry and Tannous) 536
- Butylated hydroxyanisole**; effect on bromate reaction in dough (Bushuk and Hlynka) 316
- Cake**, Quality of; effect of bubble mechanics on (Handleman, Conn, and Lyons) 294
- Cake flour and fractions**; chloride content of (Sollars) 487
- Carbohydrates**, see specific carbohydrate
- Carbonyl compounds**
 In bread; volatile, formed during fermentation (Kohn, Wisebla, and Fosdick) 165
 E_1, F_1 -ferments; identification (Miller, Johnson, and Robinson) 507
- Cell structure**, in corn endosperm (Duvick) 374
- Cereals and cereal products**
 Brewing adjuncts, lipids in; rapid method for determining (Haas and Fleischman) 198
 Histochemical characterization (wheat) (Pomeranz and Shellenberger) 103, 109, 113, 122, 133
 Chloride, in cake flours and fractions (Sollars) 487
 para-Chlorimercuribenzoate (PCMB)
 Effect on dough mixing characteristics (Sullivan, Dahle, and Nelson) 281
 Measurement of -SH groups in flour, in presence of (Sullivan, Dahle, and Larson) 272
- Chloroethanol**, as cereal protein dispersant (Tschoegl) 516
- Chloropicrin**; effect on microbial spoilage of moist kafir corn (Srinivasan and Majumder) 529
- Chromatography**, see Techniques
- Coenzymes**; thioctic acid, isolation of from wheat flour (Sullivan, Dahle, and Peterson) 463
- Color**
 Of flour; measurement of whiteness (Croes) 8
 Of grains (Jennings) 467
 Of wheat tissues; in histochemical test of -SH groups in wheat products (Pomeranz and Shellenberger) 133
- Color grade of flour**, vs. extent of dye adsorption (wheat kernel) and ash content (Pomeranz and Shellenberger) 113
- Colorimetry**, see Techniques
- Continuous mixing**, see Dough(s), Mixing of
- Conversion factors** for farinograph data, constant-flour to constant-dough basis (Hlynka, Kuzina, and Shuey) 386
- Cooking quality**
 Of macaroni (Karacsonyi and Borsos) 14
- Of rice
 effect on, of cracks formed during wetting (Desikachar and Subrahmanyam) 356
 gas-plasma-irradiated; effect of heat on (Hogan and Roseman) 432
- Corn** (see also succeeding Corn entries)
 Changes in chemical composition and distribution of nitrogen during kernel development (Bressani and Conde) 76
- Endosperm cells of, protein granules in (Duvick) 374
- Fat acidity in, determined by colorimetric method (Baker) 47
- High-amylose
 effect of steeping time on wet-milling (Anderson, Vojnovich, and Griffin) 94
 wet-milled for genetic study (Anderson, Vojnovich, and Griffin) 84
- Kafir; microbial spoilage in; effect on, of chloropicrin, ethylene dibromide, ethylene oxide, and methyl bromide (Srinivasan and Majumder) 529
- Zein (purified) prepared from;

adsorption-desorption procedure (Craine, Freimuth, Boundy, and Dimler)	399	uk and Hlynka)	316
Corn endosperm; steeping studies (Watson and Sanders)	22	effect of reducing agents (Bushuk and Hlynka)	309
Corn starch		Farinograph absorption; constant-flour data converted to constant-dough (Hlynka, Kuzina, and Shuey)	386
Effect of various enzymes on (Leach and Schoch)	34	Improving effects in	
High-amylose		of bromine, chlorine, chlorite, hypobromite, and hypochlorite; compared with effects of bromate and iodate (Bushuk and Hlynka)	393
effect of steeping time on wet-milling (Anderson, Vojnovich, and Griffin)	94	of glyceryl monostearate (Jongh)	140
intermediary fractions (Whistler and Doane)	251	Macaroni; farinograph technique for (Irvine, Bradley, and Martin)	153
wet-milled (pilot-plant scale) for genetic study (Anderson, Vojnovich, and Griffin)	84	Mixing of, continuous; effect on bromate reaction in (Bushuk and Hlynka)	178
L(+)-Cysteine hydrochloride; effect of, on bromate reaction in dough (Bushuk and Hlynka)	309	Mobility of, vs. absorption; farinograph study (Louw and Krynauw)	1
Corn wet-milling		From starch; structure formation and emulsifier effect (Jongh)	140
Of high-amylose corn		Structural relaxation of, indicating effect of bleaching on flour (Jaska)	369
experimental, for genetic study (Anderson, Vojnovich, and Griffin)	84	Sulphydryl groups in; accessibility (Bushuk)	438
for effect of steeping time (Anderson, Vojnovich, and Griffin)	94	Dough expansion apparatus; for estimating wheat quality (Miller, Whiteside, and Kalbfleisch)	204
Steeping studies with corn endosperm sections (Watson and Sanders)	22	Durum products, see individual products	
Crumb (see also Bread crumb)		Dye-staining, see Techniques	
Of starch bread; structure formation and improving effect of glyceryl monostearate (Jongh)	140	Electrolytic resistivity changes, for measuring flour particle size distribution (Irani and Fong)	67
Cumene hydroperoxide; effect on bromate reaction in dough (Bushuk and Hlynka)	116	Electron-micrograph study of gluten structure (Crosskreutz)	336
Damaged starch, see Starch, damaged		Electrophoresis, see Techniques	
Diffusion coefficients of water in wheat kernels (Fan, Chung, and Shellneberger)	540	Emulsifiers	
Dispersion of protein (cereal) by chloroethanol (Tschoegl)	516	Complexes with amylose (Osman, Leith, and Fles)	449
Dough(s) (see also Extensigraph and Farinograph studies)		Glyceryl monostearate; effect on ability of starch to form structures (Jongh)	140
With bromate, Br ⁻ -labeled; note on self-diffusion (Lee and Tkachuk)	194	Enzymes, see specific enzymes	
Bromate reaction in		Enzyme activity; effect on swelling power and solubility of corn starch (Leach and Schoch)	34
effect of continuous mixing and flour particle size (Bushuk and Hlynka)	178	Ethylene dibromide and ethylene oxide; effect on microbial spoilage of moist kafir corn (Srinivasan and Majumder)	529
effect on, of: granular starch, gluten, pentosans, lipids; and of cumene hydroperoxide, n-propyl gallate, butylated hydroxyanisole (Bush-		Extensigraph studies	
		For effect of -SH-blocking	

agents on oxidation of wheat flour (Sullivan, Dahle, and Nelson)	281	Absorption-mobility study (Louw and Krynaauw)	1
For improving effect of halogenates in dough (Tkachuk and Hlynka)	393	Alpha-amylase activity in (wheat and rye), method for determining (Hagberg)	202, 241
Extraction of proteins (wheat and flour), buffer-soluble (Coates and Simmonds)	256	Cake, see Cake entries	
Farinograph studies		Color, see Color, of flour	
For characteristics of macaroni doughs (Irvine, Bradley, and Martin)	153	Effect of bleaching, as measured by structural relaxation of dough (Jaska)	369
Constant-flour absorption converted to constant-dough basis (Hlynka, Kuzina, and Shuey)	386	Extraction rate of; estimated by dye-adsorption technique (Methyl green) (Pomeranz and Shellenberger)	113
Dough mobility vs. absorption (Louw and Krynaauw)	1	Oxidation of	
For effect of bleaching on flour, as measured by structural relaxation of dough (Jaska)	369	effect of -SH-blocking agents on (Sullivan, Dahle, and Nelson)	281
For effect of -SH-blocking agents on oxidation of wheat flour (Sullivan, Dahle, and Nelson)	281	isolation of thioctic acid (Sullivan, Dahle, and Peterson)	463
Starch-water mixture; for effect of glycerol monostearate (Jongh)	140	measurement of -SH groups (Sullivan, Dahle, and Larson)	272
Fat acidity in grain, rapid colorimetric method for determining (Baker)	47	Particle size of distribution, measurements of (Irani and Fong)	67
Fatty acids		effect of, on bromate reaction in dough (Bushuk and Hlynka)	178
Complexes with amylose (Osman, Leith, and Fles)	449	Protein in, estimated by biuret test, modified (Pinckney)	501
Free, in germinating wheat; changes in, mapped by dye-adsorption technique (Pomeranz and Shellenberger)	122	Proteins of, buffer-soluble; extraction, fractionation, and chromatography (Coates and Simmonds)	256
Fermentation		Quality of, microtests for (Elling and Barmore)	349
Panary; carbonyl compounds arising during (Kohn, Wiseblatt, and Fosdick)	165	Ottawa mill (Kemp, Whiteside, MacDonald, and Miller)	50
Pre-ferments; carbonyl compounds in identification (Miller, Johnson, and Robinson)	507	Reclaimed from bran in small-scale finisher (Black, Fisher, and Irvine)	97
Flavor of bread		Rye, wheat; alpha-amylase activity in; modified Wohlgermuth method for determining (Hagberg)	241
From carbonyl compounds arising during panary fermentation (Kohn, Wiseblatt, and Fosdick)	165	Whiteness of, see Color, Of flour	
From carbonyl compounds produced in pre-ferments (Miller, Johnson, and Robinson)	507	Yields from Ottawa micro mill (Kemp, Whiteside, MacDonald, and Miller)	50
From isomaltol and maltol (Hodge and Nelson)	207	Flour fractions; cake, chloride content of (Sollars)	487
With maltol and related compounds (Hodge and Moser)	221	Flour improvers	
Flour(s) (wheat, unless otherwise specified) (see also succeeding entries)		Bromate and iodate effect in dough, compared with sodium chloride and other halogenates (Tkachuk and Hlynka)	393

- Dahle, and Nelson) 281
- Fluorescence;** with acridine orange, for histochemical study of wheat and its milled products (Pomeranz and Shellenberger) 103
- Foams,** thick; see **Batters**
- Formaldehyde,** inhibiting mold growth during malting of wheat (Fleming, Johnson, and Miller) 170
- Fractionation** (see also **Flour fractions**)
- Of corn starch, high-amylose; for study of intermediary fractions (Whistler and Doane) 251
 - Of proteins (wheat and flour), buffer-soluble (Coates and Simmonds) 256
- Freezing microtome**, see **Techniques**
- Fumigation;** effect of chloropicrin, ethylene dibromide, ethylene oxide, and methyl bromide on microbial spoilage of moist kafir corn (Srinivasan and Majumder) 529
- Fungi** (see also **Molds**); inhibition of, during malting of wheat (Fleming, Johnson, and Miller) 170
- Fungicides**, for control during malting of wheat (Fleming, Johnson, and Miller) 170
- Galactosylomaltol**
- Effect on bread flavor (Hodge and Moser) 221
 - Preparation and properties (Hodge and Nelson) 207
- Gas retention;** measured in Paley bottle; microtest for flour quality (Grosskreutz) 349
- Geddes, William Findlay** (Tarleton) (1):iii
- Gelatin,** thiolated; effect of, on bromate reaction in dough (Bushuk and Hlynka) 309
- Germination of barley grain**
- In experimental malting with BOA and gibberellin (Linko, Linko, and Enari) 60
 - Possible role of organic acids in (Wall, Swango, Tessari, and Dimler) 407
 - Gibberellin; effect on malt quality and malt yield in barley (Linko, Linko, and Enari) 60
- Glutathione;** effect of, on bromate reaction in dough (Bushuk and Hlynka) 309
- Glutelins**
- In protein granules, intracellular deposition (Duvick) 374
- Gluten** (wheat, unless otherwise specified) (see also **Flour fractions**)
- Dispersed by chloroethanol (Tschoegl) 516
 - Effect on bromate reaction in dough (Bushuk and Hlynka) 316
 - Electrophoretic composition and intrinsic viscosity (Cluskey, Taylor, Charley, and Senti) 325
 - Structure of, lipoprotein model (Grosskreutz) 336
- Glyceryl monostearate**
- Improving effect of, on dough and bread structures (Jongh) 140
- Grain** (see also **specific grains**)
- Fat acidity in, rapid colorimetric method for determining (Baker) 47
- Gramineae,** carbohydrates of; XI (Gilles, Geddes, and Smith) 339
- Halogenates;** improving effects of, in dough (Tkachuk and Hlynka) 393
- Hardness** of wheat kernel, vs. moisture content (Katz, Collins, and Cardwell) 364
- Heat;** effect of, on rice (gas-plasma-irradiated) (Hogan and Roseman) 432
- Heat-treatment;** effect of parboiling on B-complex vitamins in wheat (Sabry and Tannous) 536
- Heidenhain's hematoxylin**
- For protein granule study (Duvick) 374
- Histochemical studies**
- Characterization of wheat and wheat products (Pomeranz and Shellenberger) 103, 109, 113, 122, 133
 - Protein granules of corn endosperm cells (Duvick) 374
- Hydration in rice**
- Characteristics after gas-plasma irradiation (Roseman, Hogan, Stone, and Webb) 423
 - Cracks formed during; effect on cooking quality (Desikachar and Subrahmanyam) 356
 - Effect on, of heat (gas-plasma irradiation) (Hogan and Roseman) 432
- 8-Hydroxyquinoline sulfate;** inhibiting mold growth during malting of wheat (Fleming, Johnson, and Miller) 170
- Iodate ions,** reaction with protein -SH groups; method to deter-

mine accessibility (Bushuk)	438
Iodine affinity of amylose-surfactant complexes (Osman, Leith, and Fles)	449
Iodine-potassium iodide	
For yellow stain in protein granule study (Duvick)	374
Irradiation (see also <i>Radioactivity</i>)	
Gas-plasma, of rice	
for effect of heat on hydration and cooking quality (Hogan and Roseman)	432
effect on water-holding capacity (Roseman, Hogan, Stone, and Webb)	423
Isomaltol	
Effect on bread flavor (Hodge and Moser)	221
Preparation and properties (Hodge and Nelson)	207
Isotopes , see <i>Radioactivity</i>	
Kafir corn , see <i>Corn, Kafir</i>	
Kinetics of bromate reaction in dough (Bushuk and Hlynka)	178
Leavening , in cake batter; bubble mechanics study (Handleman, Conn, and Lyons)	294
Light-scattering , see <i>X-ray scattering</i>	
Lipids	
In brewing adjunct cereals, rapid method for determining (Haas and Fleischman)	198
Effect on bromate reaction in dough (Bushuk and Hlynka)	316
Lipoprotein model of wheat gluten structure (Grosskreutz)	336
Macaroni ; torsional strength of, with Torsionmeter (Karacsonyi and Borsos)	14
Macaroni doughs ; farinograph technique for (Irvine, Bradley, and Martin)	153
Maillard reaction , see <i>Browning reaction</i>	
Maize , see <i>Corn</i>	
Malting of wheat ; control of fungi during (Fleming, Johnson, and Miller)	170
Malting procedure , with barley (experimental); yield increased by 2(3)-benzoxazolone (BOA) (Linko, Linko, and Enari)	60
Maltol ; effect on bread flavor (Hodge and Moser)	221
Method(s)	
For accessible -SH groups in	
dough (Bushuk)	438
Biuret (modified)	
for determining nitrogen content of barley and wheat (Jennings)	467
for estimation of protein in wheat and flour (Pinckney)	501
Chromatographic , see <i>Techniques, Chromatography</i>	
Colorimetric (see also <i>Biuret</i>)	
for fat acidity in grain (Baker)	47
Colorimetric and modified Wohlgemuth , for alpha-amylase in wheat or rye (Hagberg)	241
For determining lipids in brewing adjunct cereals (Haas and Fleischman)	198
"Falling number," for determining alpha-amylase activity in flour (Hagberg)	202
For farinograph data; to convert constant-flour to constant-dough basis (Hlynka, Kuzina, and Shuey)	386
Modified Wohlgemuth, for determining relative amounts of alpha-amylase in mixtures; application to malted wheat (Fleming, Miller, and Johnson)	479
With rice, for determining degree of milling (Hogan and Deobald)	291
For measuring particle size distribution of flour; gravitational sedimentation, centrifugal sedimentation, microscopic counting, sieving; electrolytic resistivity changes (Irani and Fong)	67
For simple calculation of damaged starch (Ponte and Rosen)	306
For zein preparation; adsorption-desorption (Craine, Freimuth, Boundy, and Dimler)	399
Methyl green dye technique , for estimating flour extraction rate (Pomeranz and Shellenberger)	113
Methyl bromide ; effect on microbial spoilage of moist kafir corn (Srinivasan and Majuunder)	529
Micromilling , see <i>Milling, experimental</i>	
Milling , experimental	
Bran finisher, small-scale (Black, Fisher, and Irvine)	97
For flour quality (Elling and	

Barmore)	349	and Moser)	221
Ottawa micro flour mill (Kemp, Whiteside, MacDonald, and Miller)	50	PCMB, see para-Chloromercuribenzoate	
Milling of rice; method of determining degree of (Hogan and Deobald)	291	Pekar test for flour color (Croes)	8
Millon-Serra reagent, for protein granule study (Duvick)	374	Pentosans	
Mixes, cake; for study of bubble mechanics (Handleman, Conn, Lyons)	294	Effect on bromate reaction in dough (Bushuk and Hlynka)	316
Mixing of dough, see Dough(s), Mixing of; Extensigraph studies		Water-soluble, in "soluble starch" of bread (Gilles, Geddes, and Smith)	229
Moisture in wheat kernel		Pie crust, see Pastry	
Diffusion coefficients of (Fan, Chung, and Shellenberger)	540	Pigment, in bran; intensity in grains polished to different degrees (Srirangarajan, Desikachar, Indiramma, and San-karan)	391
vs. Hardness (Katz, Collins, and Cardwell)	364	Polysaccharides, water-soluble, from bread crumb; constitution (Gilles, Geddes, and Smith)	229
Molds		Pre-ferment process, see Fermentation	
In corn, kafir, stored; treatment with volatile chemicals (Srinivasan and Majumder)	529	n-Propyl gallate; effect on bromate reaction in dough (Bushuk and Hlynka)	316
In malted wheat, vs. presence of fungal alpha-amylase (Fleming, Miller, and Johnson)	479	Protein(s) (see also Protein granules)	
NEMI, see N-ethylmaleimide		In barley, wheat; determination by colorimetry (Jennings)	467
N-ethylmaleimide (NEMI); effect on dough mixing characteristics (Sullivan, Dahle, and Nelson)	281	Cereal, dispersed by chloroethanol (Tschoegl)	516
Niacin, in wheat; effect of parboiling on (Sabry and Tannous)	536	Composition in hard vs. soft wheat (Cluskey, Taylor, Charley, and Senti)	325
Nitrogen		Of flour	
In barley and wheat; determination by colorimetry (Jennings)	467	accessible -SH groups of in dough (Bushuk)	438
In corn; changes in chemical composition and distribution during kernel development (Bressani and Conde)	76	buffer-soluble; fractions identified (Coates and Simmonds)	256
Oxidation of wheat flour		In gluten, structure of; lipoprotein model (Grosskreutz)	336
Effect of sulfhydryl-blocking agents (Sullivan, Dahle and Nelson)	281	In wheat, estimated by biuret test (modified) (Pinckney)	501
Isolation of thiocetic acid (Sullivan, Dahle, and Peterson)	463	In wheat kernel; distribution mapped, by dye-adsorption technique (Pomeranz and Shellenberger)	109
Sulfhydryl groups measured (Sullivan, Dahle, and Larson)	272	Zein (purified) prepared from, by adsorption-desorption procedure (Craine, Freimuth, Boundy, and Dimler)	399
Oxidizing agents, see Flour improvers; Oxidation of wheat flour		Protein granules of corn endosperm cells (Duvick)	374
Parboiling; effect on B-complex vitamins in wheat (Sabry and Tannous)	536	Quality of flour, see under Flour	
Particle size, see under Flour		Quality of wheat, see under Wheat	
Pastry, flavor of, with maltol and related compounds (Hodge		Radioactivity of Br ³⁵ from self-diffusion in dough (Lee and Tkachuk)	194
		Reducing agents; effect of, on bro-	

- mate reaction in dough (Bushuk and Hlynka) 309
- Rheology of dough, see Farinograph studies**
- Riboflavin, in wheat; effect of parboiling on (Sabry and Tannous) 536
- Rice**
Bran of, residual; amounts varying with degree of polishing of grains (Srirangarajan, Desikachar, Indiramma, and Sankaran) 391
- Cracks in, formed during wetting (Desikachar and Subrahmanyam) 356
- Irradiated, gas-plasma; effect of heat on hydration and cooking quality (Hogan and Roseman) 432
- Method of determining degree of milling (Hogan and Deobald) 291
- Milled; effect of irradiation on water-holding capacity (Roseman, Hogan, Stone, and Webb) 423
- Polishing of, to different degrees; variations in residual bran (Srirangarajan, Desikachar, Indiramma, and Sankaran) 391
- Rye; alpha-amylase activity in (flour and grain); modified Wohlgemuth method for determining (Hagberg) 241
- Sedimentation techniques, centrifugal and gravitational; for measuring flour particle size distribution (Irani and Fong)** 67
- Semolina; farinograph characteristics (durum from different years) (Irvine, Bradley, and Martin)** 153
- Sieving; for measuring flour particle size distribution (Irani and Fong)** 67
- Sodium bisulfite and sodium borohydride; effect of, on bromate reaction in dough (Bushuk and Hlynka) 309
- "Soluble starch," see under Carbohydrates, Polysaccharides
- Spectrophotometry, see Techniques**
- Starch(es) (see also Starch granules)**
- Amylose
 - complexes with surfactants (Osman, Leith, and Fles) 449
 - Arrowroot, corn, potato, rice, sago, sorghum, tapioca, waxy maize, waxy sorghum, wheat; resistance to amylase (Leach and Schoch) 14
- Corn, see Corn starch
- Damaged; simple calculation for (Ponte and Rosen) 306
- Granular; effect on bromate reaction in dough 316
- Structure-forming ability of, and effect of emulsifier (Jongh) 140
- Starch granules**
- From corn endosperm, steeping study (Watson and Sanders) 22
 - Structure of; dissolving action of various amylases (Leach and Schoch) 34
- Steeping studies**
- Corn endosperm; release of starch granules 22
 - High-amylose corn; effect of time on wet-milling (Anderson, Vojnovich, and Griffin) 94
- Storage studies**
- With corn, kafir; effect of chloropicrin, ethylene dibromide, ethylene oxide, and methyl bromide on microbial spoilage in (Srinivasan and Majumder) 529
 - With wheat; zone electrophoresis patterns as index of condition (Linko) 187
- Structural relaxation of dough**
- Effect of bleaching on flour, measured by (Jaska) 369
- Structure**
- Of corn endosperm cells (Duvick) 374
 - Of wheat gluten; lipoprotein model (Grosskreutz) 336
 - Of wheat kernel; histochemical study; dye-adsorption technique (Pomeranz and Shellenberger) 103
- Structures**
- Dough and bread; formation of in crumb of starch bread (Jongh) 140
 - For maltol and isomaltol (Hodge and Nelson) 207
- Sulphydryl groups**
- In dough; accessibility of, and factors controlling it (Bushuk) 438
 - In flour; measurement by titration with mercuric chloride (Sullivan, Dahle, and Larson) 272
 - In wheat kernels; localization by histochemical procedure (Pomeranz and Shellenberger) 133
- Sulphydryl-blocking agents; effect on oxidation of wheat flour (Sullivan, Dahle, and Nelson)** 281
- Surface-active agents, see Surfact-**

- ants
- Surfactants;** complexes with amylose (Osman, Leith, and Fles) 449
- Techniques** (see also *Extensigraph studies; Farinograph studies; Methods*)
- Chromatography 256, 407, 463, 507
 - Colorimetry 47, 241, 467, 501
 - Dye-staining 103, 109, 113, 374
 - Electrophoresis 187, 256, 325, 399
 - Freezing microtome 374
 - Sedimentation 67
 - Spectrophotometry (see also Colorimetry) 463
- Temperature**
- Effect on farinograms of semolina (Irvine, Bradley, and Martin) 153
 - Effect on hydration characteristics of rice at time of irradiation and vacuum treatment (Hogan and Roseman) 432
 - vs. Water diffusion in wheat kernel (Fan, Chung, and Shellenberger) 540
- Thermostability of alpha-amylases** (Fleming, Miller, and Johnson) 479
- Thiamine**, in wheat; effect of parboiling on (Sabry and Tannous) 536
- Thioglycolic acid**; effect on bromate reaction in dough (Bushuk and Hlynka) 309
- Torsional (bending) strength of macaroni** (Karcsonyi and Boros) 14
- Varietal studies**
- With rice; for cooking quality when presoaked (Desikachar and Subrahmanyam) 356
 - With wheat
 - difference in behavior with Ottawa micro mill (Kemp, Whiteside, MacDonald, and Miller) 50
 - for kernel hardness vs. moisture content (Katz, Collins, and Cardwell) 364
 - With durum wheats; farinograph study (Irvine, Bradley, and Martin) 153
 - With wheat gluten; for electrophoretic composition and intrinsic viscosity (Cluskey, Taylor, Charley, and Senti) 325
 - With wheat kernel; water diffusion coefficients in (Fan, Chung, and Shellenberger) 540
 - Viscosity of glutens from different wheat varieties (Cluskey, Tay-
- lor, Charley, and Senti) 325
- Vitamins**; B-complex, in wheat; effect of parboiling on (Sabry and Tannous) 536
- Water**; diffusion coefficients of, in wheat kernels (Fan, Chung, and Shellenberger) 540
- Water absorption by rice**
- Amount, and effect of heat on, after gas-plasma irradiation (Hogan and Roseman) 432
 - (Roseman, Hogan, Stone, and Webb) 423
- Study of penetration during soaking (Desikachar and Subrahmanyam) 356
- Wheat**
- Alpha-amylase activity in, modified Wohlgemuth method for determining (Hagberg) 241
 - Dark-grained; nitrogen content, determined by colorimetry (Jennings) 467
 - Fat acidity in, colorimetric method (Baker) 47
 - Germinating; free fatty acids in, mapped with dyes (Pomeranz and Shellenberger) 122
 - Glutens from, see *Glutens*
 - Kernel of, see *Wheat kernel*
 - Malted, procedure for determining cereal, fungal, and bacterial alpha-amylase in (Fleming, Miller, and Johnson) 479
 - Malting of; control of fungi during (Fleming, Johnson, and Miller) 170
 - Nitrogen in; determination by colorimetry (Jennings) 467
 - Proteins in
 - buffer-soluble; extraction, fractionation, and chromatography (Coates and Simmonds) 256
 - estimated by biuret test, modified (Pinckney) 501
 - Stored, see *Storage studies*
 - Vitamin content of, B-complex; effect of parboiling on (Sabry and Tannous) 536
- Wheat and wheat products**; flour extraction rate estimated by dye-adsorption technique (Pomeranz and Shellenberger) 113
- Wheat kernel**
- Hardness, vs. moisture content of (Katz, Collins, and Cardwell) 364
 - Histochemical study of germ

- and aleurone (Pomeranz and Shellenberger) 103
- Protein distribution in, mapped with dyes (Pomeranz and Shellenberger) 109
- Sulphydryl groups in; localization by histochemical procedure (Pomeranz and Shellenberger) 133
- Varieties, see *Varietal studies*
- Water in; diffusion coefficients of (Fan, Chung, and Shellenberger) 540
- Wheat quality;** dough-expansion apparatus (small-scale) for estimating (Miller, Whiteside, and Kalbfleisch) 204
- Whiteness of flour, see *Color, of flour*
- Wohlgemuth method (modified),** for alpha-amylase activity in wheat and rye (Hagberg) 241
- X-ray scattering**
- In amylose-surfactant complexes (Osman, Leith, and Fles) 449
 - From glutens; evidence of lipid structure (Grosskreutz) 336
- Xyline Ponceau dye;** for histochemical study with wheat kernel, to map protein distribution (Pomeranz and Shellenberger) 109
- Zein**
- Development in corn kernel (Bressani and Conde) 76
 - In protein granules, intracellular deposition (Duvick) 374
 - Purified; preparation by adsorption - desorption procedure (Craine, Freimuth, Boundy, and Dimler) 399

CEREAL CHEMISTRY

Published by the American Association of Cereal Chemists

Editor-in-Chief K. A. GILLES
Managing Editor RAYMOND TARLETON
Assistant Editor EUNICE R. BROWN

Editorial Board:

WELKER G. BECHTEL	ROBERT R. LARSEN
KARL F. FINNEY	DALE K. MECHAM
G. N. IRVINE	C. E. RIST
WILLIAM R. JOHNSTON	THOMAS J. SCHOCH



VOLUME 38, Nos. 1-6
JANUARY-NOVEMBER, 1961



Minneapolis, Minnesota
1961

Jones Press, Inc., Minneapolis, Minn.

CONTENTS

NUMBER 1, JANUARY, 1961

	PAGE
William Findlay Geddes. <i>R. J. Tarleton</i>	iii
The Relationship between Farinograph Mobility and Absorption. <i>J. B. Louw and G. N. Krynauw</i>	1
Measurement of Flour Whiteness. <i>A. W. Croes</i>	8
An Apparatus for Measuring the Torsional Strength of Macaroni. <i>L. P. Karacsonyi and A. C. Borsos</i>	14
Steeping Studies with Corn Endosperm Sections. <i>S. A. Watson and E. H. Sanders</i>	22
Structure of the Starch Granule. II. Action of Various Amylases on Granular Starches. <i>Harry W. Leach and Thomas J. Schoch</i>	34
A Colorimetric Method for Determining Fat Acidity in Grain. <i>Doris Baker</i>	47
Ottawa Micro Flour Mill. <i>J. G. Kemp, A. G. O. Whiteside, D. C. MacDonald, and H. Miller</i>	50
2-(3-Benzoxazolone in Malting of Barley. <i>Matti Linko, Pekka Linko, and Tor-Magnus Enari</i>	60
Measurements of the Particle Size Distribution of Flour. <i>R. R. Irani and W. S. Fong</i>	67
Changes in the Chemical Composition and in the Distribution of Nitrogen of Maize at Different Stages of Development. <i>Ricardo Bressani and Rodolfo Conde</i>	76
Wet-Milling High-Amylose Corn Containing 66- to 68-Percent-Amylose Starch. <i>R. A. Anderson, C. Vojnovich, and E. L. Griffin, Jr.</i>	84
A Note on the Effect of Steeping Time on Wet-Milling High-Amylose Corn Containing 57-Percent-Amylose Starch. <i>R. A. Anderson, C. Vojnovich, and E. L. Griffin, Jr.</i>	94
Laboratory Milling. I. A Small-Scale Bran Finisher. <i>H. C. Black, M. H. Fisher, and G. N. Irvine</i>	97
Editorial Policy and Suggestions to Authors	102

NUMBER 2, MARCH, 1961

Histochemical Characterization of Wheat and Wheat Products.	
I. Histochemical Demonstration of Germ and Aleurone Using Acridine Orange. <i>Y. Pomeranz and J. A. Shellenberger</i>	103
Histochemical Characterization of Wheat and Wheat Products.	
II. Mapping of Protein Distribution in the Wheat Kernel. <i>Y. Pomeranz and J. A. Shellenberger</i>	109
Histochemical Characterization of Wheat and Wheat Products.	
III. Use of Methyl Green in Estimating Flour Extraction Rate. <i>Y. Pomeranz and J. A. Shellenberger</i>	113
Histochemical Characterization of Wheat and Wheat Products.	

IV. Mapping the Free Fatty Acids in Germinating Wheat. <i>Y. Pomeranz and J. A. Shellenberger</i>	122
Histochemical Characterization of Wheat and Wheat Products. V. Sulphydryl Groups: Their Localization in the Wheat Kernel. <i>Y. Pomeranz and J. A. Shellenberger</i>	133
The Formation of Dough and Bread Structures. I. The Ability of Starch to Form Structures, and the Improving Effect of Glyc- erol Monostearate. <i>G. Jongh</i>	140
A Farinograph Technique for Macaroni Doughs. <i>G. N. Irvine, J. W. Bradley, and G. C. Martin</i>	153
Some Volatile Carbonyl Compounds Arising during Panary Fer- mentation. <i>F. E. Kohn, L. Wiseblatt, and L. S. Fosdick</i>	165
The Control of Fungi during the Malting of Wheat. <i>James R. Fleming, John A. Johnson, and Byron S. Miller</i>	170
The Bromate Reaction in Dough. III. Effect of Continuous Mix- ing and Flour Particle Size. <i>W. Bushuk and I. Hlynka</i>	178
Zone Electrophoresis Pattern of Free Amino Acids as an Index of Storage Condition of Wheat. <i>Pekka Linko</i>	187
A Note on Self-Diffusion in Dough Containing Br ³² -Labeled Bro- mate. <i>C. C. Lee and R. Tkachuk</i>	194
A Note on a Rapid Method for the Determination of Lipids in Brewing Adjunct Cereals. <i>Gerhard J. Haas and Alan I. Fleischman</i>	198
Note on a Simplified Rapid Method for Determining Alpha- Amylase Activity. <i>Sven Hagberg</i>	202
A Note on the Construction of a Small-Scale Dough Expansion Apparatus for the Estimation of Wheat Quality. <i>H. Miller, A. G. O. Whiteside, and W. Kalbfleisch</i>	204
Editorial Policy and Suggestions to Authors	206

NUMBER 3, MAY, 1961

Preparation and Properties of Galactosylisomaltol and Isomaltol. <i>J. E. Hodge and E. C. Nelson</i>	207
Flavor of Bread and Pastry upon Addition of Maltol, Isomaltol, and Galactosylisomaltol. <i>J. E. Hodge and Helen A. Moser</i>	221
The Carbohydrates of the Gramineae. XI. The Constitution of the Water-Soluble Polysaccharides Derived from Bread Crumb. <i>Kenneth A. Gilles, W. F. Geddes, and Fred Smith</i>	229
Modified Wohlgemuth Methods for Alpha-Amylase Activity of Wheat and Rye. <i>Sven Hagberg</i>	241
Characterization of Intermediary Fractions of High-Amylose Corn Starches. <i>Roy L. Whistler and William M. Doane</i>	251
Proteins of Wheat and Flour. Extraction, Fractionation, and Chromatography of the Buffer-Soluble Proteins of Flour. <i>J. H. Coates and D. H. Simmonds</i>	256
The Oxidation of Wheat Flour. I. Measurement of Sulphydryl Groups. <i>Betty Sullivan, Leland Dahle, and Elof Larson</i>	272
The Oxidation of Wheat Flour. II. Effect of Sulphydryl-Blocking	

Agents. <i>Betty Sullivan, Leland Dahle, and O. Rudolph Nelson</i>	281
Note on a Method of Determining the Degree of Milling of Whole Milled Rice. <i>Joseph T. Hogan and Harold J. Deobald</i>	291
Bubble Mechanics in Thick Foams and Their Effects on Cake Quality. <i>Avrom R. Handleman, James F. Conn, and John W. Lyons</i>	294
Communication to the Editor. Obtaining Damaged Starch Mathematically Rather Than Graphically by the Sandstedt and Matern Procedure. <i>J. G. Ponte, Jr., and Jocelyn Rosen</i>	306
Editorial Policy and Suggestions to Authors	307

NUMBER 4, JULY, 1961

The Bromate Reaction in Dough. IV. Effect of Reducing Agents. <i>W. Bushuk and I. Hlynka</i>	309
The Bromate Reaction in Dough. V. Effect of Flour Components and Some Related Compounds. <i>W. Bushuk and I. Hlynka</i>	316
Electrophoretic Composition and Intrinsic Viscosity of Glutens from Different Varieties of Wheat. <i>J. E. Cluskey, N. W. Taylor, Helen Charley, and F. R. Senti</i>	325
A Lipoprotein Model of Wheat Gluten Structure. <i>J. C. Grosskreutz</i>	336
Microtests for Flour Quality. <i>H. R. Elling and M. A. Barmore</i>	349
The Formation of Cracks in Rice during Wetting and Its Effect on the Cooking Characteristics of the Cereal. <i>H. S. R. Desikachar and V. Subrahmanyam</i>	356
Hardness and Moisture Content of Wheat Kernels. <i>R. Katz, N. D. Collins, and A. B. Cardwell</i>	364
Effect of Bleaching on Flour as Measured by Structural Relaxation of Dough. <i>Endel J. Jaska</i>	369
Protein Granules of Maize Endosperm Cells. <i>Donald N. Duvick</i>	374
Conversion of Constant-Flour Farinograph Absorption to Constant-Dough Basis. <i>I. Hlynka, F. D. Kuzina, and W. C. Shuey</i>	386
Note on Variations in Residual Bran in Individual Rice Grains from Batches Polished to Different Degrees. <i>A. N. Srirangarajan, H. S. R. Desikachar, K. Indiramma, and A. N. Sankaran</i>	391

NUMBER 5, SEPTEMBER, 1961

Some Improving Effects of Halogenates and Their Reduction Intermediates in Dough. <i>R. Tkachuk and I. Hlynka</i>	393
Preparation of Purified Zein by Adsorption-Desorption. <i>E. M. Craine, Diane V. Freimuth, Joyce A. Boundy, and R. J. Dimler</i>	399
Organic Acids of Barley Grains. <i>J. S. Wall, L. C. Swango, D. Tessari, and R. J. Dimler</i>	407
Gas Plasma Irradiation of Rice. I. Hydration Characteristics. <i>A. S. Roseman, J. T. Hogan, R. B. Stone, and J. C. Webb</i>	423

Gas Plasma Irradiation of Rice. II. Effect of Heat on Hydration and Cooking Characteristics. <i>J. T. Hogan and A. S. Roseman</i>	432
Accessible Sulphydryl Groups in Dough. <i>W. Bushuk</i>	438
Complexes of Amylose with Surfactants. <i>Elizabeth M. Osman, Sandra J. Leith, and Melita Fles</i>	449
The Oxidation of Wheat Flour. III. The Isolation of Thioctic Acid. <i>Betty Sullivan, Leland K. Dahle, and David A. Peterson</i>	463
Editorial Policy and Suggestions to Authors	466

NUMBER 6, NOVEMBER, 1961

Determination of the Nitrogen Content of Cereal Grain by Colorimetric Methods. <i>A. C. Jennings</i>	467
A Method for the Determination of Relative Amounts of Malted-Wheat, Fungal (<i>Aspergillus oryzae</i>), and Bacterial (<i>Bacillus subtilis</i>) Alpha-Amylase in Mixtures, and Its Application to Malted Wheat. <i>James R. Fleming, Byron S. Miller, and John A. Johnson</i>	479
Chloride Content of Cake Flours and Flour Fractions. <i>William F. Sollars</i>	487
The Biuret Test as Applied to the Estimation of Wheat Protein. <i>Alvin J. Pinckney</i>	501
Identification of Carbonyl Compounds Produced in Pre-ferments. <i>Byron S. Miller, John A. Johnson, and Robert J. Robinson</i>	507
Chloroethanol as a Cereal Protein Dispersant. <i>N. W. Tschoegl</i>	516
Effect of Some Volatile Chemicals on the Microbial Spoilage of Moist Kafir Corn (<i>Andropogon sorghum</i>) under Airtight Storage. <i>K. S. Srinivasan and S. K. Majumder</i>	529
Effect of Parboiling on the Thiamine, Riboflavin, and Niacin Contents of Wheat. <i>Z. I. Sabry and R. I. Tannous</i>	536
Diffusion Coefficients of Water in Wheat Kernels. <i>Liang-tseng Fan, Do Sup Chung, and John A. Shellenberger</i>	540
Editorial Policy	548
Author and Subject Index to Volume XXXVIII	549

